


G-Rib Trim


1




14" Ridge Cap *
Available Length: 10'6"



1




20" Ridge Cap
Available Length: 10'



2




Angle Trim *
Available Length: 10'




3





Snow Guard *
Available Length: 10'



4



5-1/2" Corner/Gable Trim *
Available Length:
8' - 10' - 12' - 14' - 16' - 18' - 20'



5-1/2" Inside Corner Trim
Available Length:
8' - 10' - 12' - 14' - 16' - 18' - 20'

5



Special trim prices based on total inches x total bends. A hem is one bend.

G-Rib Trim

6 **End Wall Flashing**
Available Length:
8' - 10' - 12' - 14' - 16' - 18' - 20'

7 **Side Wall Flashing**
Available Length:
8' - 10' - 12' - 14' - 16' - 18' - 20'

8 **W-Valley Flashing**
Available Length:
8' - 10' - 12' - 14' - 16' - 18' - 20'

9 **Door Track Cover ***
Available Length: 10'6"

10 **Overhead Door Trim w/J-channel**
Available Length:
8' - 10' - 12' - 14' - 16' - 18' - 20'

11 **J-channel ***
Available Length: 10'


12 **Overhang Trim ***
Available Length: 10'

13 **Ratguard ***
Available Length: 10'

14 **Z-bar ***
Available Length: 10'


Special trim prices based on total inches x total bends. A hem is one bend.

R



Optional Perlin Bearing Leg

"METAL PANEL INFORMATION"



Optional Perlin Bearing Leg



SECTION PROPERTIES										
GAUGE	NOM. THICK (in.)	WT. (PSF)	F _y (KSI)	NET COVERAGE (in.)	PANEL TOP IN COMPRESSION			PANEL BOTTOM IN COMPRESSION		
					l _x (in. 4/ft.)	S _x (in. 3/ft.)	F _b (in. /ft.)	l _x (in. 4/ft.)	S _x (in. 3/ft.)	F _b (KSI)
29	.0170	0.82	80.0	36.0	.0351	.0336	30.0	.020	.0370	30.0
26	.0198	0.96	80.0	36.0	.0423	.0408	30.0	.0383	.0434	30.0
24	.0258	1.25	50.0	36.0	.0575	.0571	30.0	.0521	.0575	30.0
22	.0318	1.54	50.0	36.0	.0702	.0742	30.0	.0659	.0716	30.0
.032 Alum. Please Inquire										

ALLOWABLE UNIFORM LOADS IN POUNDS PER SQUARE FOOT															
GAUGE	WIND LOAD (STRESS)					LIVE LOAD (STRESS)					LIVE LOAD (DEFLECTION)				
	4'	5'	6'	7'	8'	3'	4'	5'	6'	7'	3'	4'	5'	6'	7'
29	77	49	34	25	19	103	58	37	26	19	103	58	37	26	18
26	90	58	40	29	23	121	68	43	30	22	121	68	43	30	22
24	119	76	53	39	30	160	90	58	40	29	160	90	58	40	29
22	149	95	66	49	37	199	112	72	50	37	199	112	72	50	36
.032 Alum. Please Inquire															


J CHANNEL




DOOR POST TRIM




DOUBLE ANGLE TRIM



DOOR TRACK COVER



UNIVERSAL RIDGE CAP



CORNER OR GABLE TRIM



rib

"METAL PANEL INFORMATION"



Our 3/4" rib with its anti-siphon feature gives you a weather-tight seal

